

# MATERIAL SAFETY DATA SHEET

## NATURAL BREEZE AEROSOL AIR FRESHENER 12.5OZ

National Fire Protection Association  
(NFPA)



Hazardous Material Information System  
(HMIS)

Health	1
Fire Hazard	3
Reactivity	0
Specific Hazard	0

### Section 1. Product and Company Identification

#### Manufacturer

SUZHOU FRESH TREES HOME PRODUCTS CO., LTD  
Eastern Laixiu Road, Fenhu High and New Tech  
Development Zone  
Wujiang District Suzhou, CHINA  
Tel: (0574) 7393212  
Fax: (0574) 7393270

#### US Distributed By

Western Fragrant Corp.  
7 Corporate Park ste 245  
Irvine, CA 92606  
Tel: 626-359-1000  
Fax: 626-359-1007

**Product Name:** NATURAL BREEZE Aerosol Air Freshener 12.5 oz.

#### **Product Description:**

UPC	Item Number	Description	Quantity / Case
8 09022 50013 6	50013	Air Freshener Spray – Citrus	12
8 09022 50014 3	50014	Air Freshener Spray – Sweet Cherry	12
8 09022 50015 0	50015	Air Freshener Spray – Wild Lavender	12
8 09022 50016 7	50016	Air Freshener Spray – White Jasmine	12
8 09022 50017 4	50017	Air Freshener Spray – Rose Petal	12
8 09022 50019 8	50019	Air Freshener Spray – Hawaiian Breeze	12
8 09022 50020 4	50020	Air Freshener Spray – Sweet Gardenia	12
8 09022 50021 8	50021	Air Freshener Spray - Linen	12
8 09022 50027 0	50027	Air Freshener Spray - Pomegranate	12

### Section 2. Ingredient Information

Ingredient Name	CAS Number
WATER	7732-18-5
BUTANE	106-97-8
PROPANE	74-98-6
ISOBUTANE	75-28-5
PERFUME	/

### Section 3. Hazards Identification

**HAZARDS IDENTIFICATION:** AEROSOLS, FLAMMABLE

**EMERGENCY OVERVIEW:** IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN

### Section 4. First Aid Measures

#### SKIN EXPOSURE:

IN CASE OF CONTACT, IMMEDIATELY WASH SKIN WITH SOAP AND COPIOUS AMOUNTS OF WATER. IF IRRITATION PERSISTS, CALL A PHYSICIAN.

#### EYE EXPOSURE:

IN CASE OF CONTACT WITH EYES, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. ASSURE ADEQUATE FLUSHING BY SEPARATING THE EYELIDS WITH FINGERS. CALL A PHYSICIAN.

#### INHALATION EXPOSURE:

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

#### ORAL EXPOSURE:

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.

## Section 5. Fire Fighting Measures

**FLAMMABLE HAZARDS:** YES

**EXPLOSION HAZARDS:**

MAY FORM EXPLOSIVE MIXTURES WITH AIR. VAPOR MAY TRAVEL CONSIDERABLE DISTANCE TO SOURCE OF IGNITION AND FLASH BACK. CONTAINER EXPLOSION MAY OCCUR UNDER FIRE CONDITIONS.

**EXTINGUISHING MEDIA:**

SUITABLE: CARBON DIOXIDE. DRY CHEMICAL POWDER. USE WATER SPRAY OR FOG NOZZLE TO KEEP CYLINDER COOL. MOVE CYLINDER AWAY FROM FIRE IF THERE IS NO RISK.

**FIREFIGHTING:**

**PROTECTIVE EQUIPMENT:** WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

**SPECIFIC HAZARDS:** EXTREMELY FLAMMABLE, VAPOR MAY TRAVEL CONSIDERABLE DISTANCE TO SOURCE OF IGNITION AND FLASH BACK. EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

**SPECIFIC METHOD(S) OF FIRE FIGHTING:** DO NOT EXTINGUISH BURNING GAS IF FLOW CANNOT BE SHUT OFF IMMEDIATELY. USE WATER SPRAY OR FOG NOZZLE TO KEEP CYLINDER COOL. MOVE CYLINDER AWAY FROM FIRE IF THERE IS NO RISK.

## Section 6. Accidental Release Measures

**PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL:**

EVACUATE AREA AND KEEP PERSONNEL UPWIND. SHUT OFF ALL SOURCES OF IGNITION. SHUT OFF LEAK IF THERE IS NO RISK.

**PROCEDURE(S) OF PERSONAL PRECAUTION(S):**

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

**METHODS FOR CLEANING UP:**

VENTILATE AREA AND WASH SPILL SITE AFTER MATERIALS PICKUP IS COMPLETE.

## Section 7. Handling and Storage

**HANDLING:**

USER EXPOSURE: DO NOT BREATHE GAS, GET IN EYES, ON SKIN, ON CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE.

**STORAGE:**

**SUITABLE:** KEEP TIGHTLY CLOSED. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAME. USE WITH EQUIPMENT RATED FOR CYLINDER PRESSURE, AND OF COMPATIBLE MATERIALS OF CONSTRUCTION. CLOSE VALVE WHEN NOT IN USE AND WHEN EMPTY. MAKE SURE CYLINDER IS PROPERLY SECURED WHEN IN USE OR STORED. CYLINDER TEMPERATURE SHOULD NOT EXCEED 125°F (52°C).

**UNSUITABLE:** STORE AWAY FROM HEAT AND DIRECT SUNLIGHT.

**SPECIAL REQUIREMENTS:**

CONTENTS UNDER PRESSURE.

## Section 8. Exposure Controls/Personal Protection

**ENGINEERING CONTROLS:** USE VENTILATION EQUIPMENT IF AVAILABLE. SAFETY SHOWER AND EYE BATH.

**PERSONAL PROTECTIVE EQUIPMENT:**

**RESPIRATORY:** GOVERNMENT APPROVED RESPIRATOR.

**EYE:** CHEMICAL SAFETY GOGGLES.

**CLOTHING:** WEAR APPROPRIATE PROTECTIVE CLOTHING.

**HAND:** COMPATIBLE CHEMICAL-RESISTANT GLOVES.

**OTHER PROTECT:** NO SMOKING, DRINKING AND EATING AT WORKING SITE, WASH THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING BEFORE REUSE.

## Section 9. Physical and Chemical Properties

<b>APPEARANCE:</b>	MULTICOLOR COMPRESSED AIR TANK (CONTAIN LIQUID GAS)
<b>COLOR:</b>	CLEAR
<b>PRODUCT STATE:</b>	DISPENSED AS A SPRAY MIST.
<b>ODOR:</b>	FRUITY CLEAN
<b>SOLUBILITY:</b>	SOLUBLE IN WATER, MISCIBLE IN ACETONE AND ETHANOL
<b>SPECIFIC GRAVITY(25 °C):</b>	0.75-0.85 G/CC
<b>VAPOR DENSITY (AIR=1):</b>	NOT AVAILABLE
<b>EVAPORATION RATE:</b>	NOT AVAILABLE

<b>VAPOR PRESS:</b>	NOT AVAILABLE
<b>BOILING POINT:</b>	NOT APPLICABLE
<b>FREEZING POINT:</b>	NOT APPLICABLE
<b>COEFFICIENT OF WATER/OIL:</b>	NOT AVAILABLE
<b>% VOC BY WEIGHT:</b>	< 25%
<b>FLASHING POINT:</b>	<23°C (CLOSED CUP)
<b>BP/BP RANGE:</b>	>60°C
<b>PH:</b>	7

**Section 10. Stability and Reactivity**

**STABILITY:** STABLE UNDER NORMAL TEMPERATURES AND PRESSURES.  
**MATERIALS TO AVOID:** OXYGEN, PRESSED AIR, HALOGEN, AND OXIDIZING AGENTS.  
**HAZARDOUS POLYMERIZATION:** WILL NOT OCCUR  
**HAZARDOUS DECOMPOSITION PRODUCTS:** CO, CO2

**Section 11. Toxicology Information**

**TOXICITY DATA:** NO DATA AVAILABLE  
**ROUTE OF EXPOSURE:**  
**SKIN CONTACT:** CAN CAUSE SEVERE FROSTBITE.  
**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH THE SKIN.  
**EYE CONTACT:** CAUSES EYE IRRITATION  
**INHALATION:** MAY BE HARMFUL IF INHALED. CAN CAUSE RAPID SUFFOCATION. MATERIAL IS IRRITATING TO MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT.  
**INGESTION:** MAY BE HARMFUL IF SWALLOWED.  
**TARGET ORGAN(S) OR SYSTEM(S):** CENTRAL NERVOUS SYSTEM  
**SIGNS AND SYMPTOMS OF EXPOSURE:**  
EXPOSURE CAN CAUSE: CNS DEPRESSION. LIGHT HEADEDNESS, GIDDINESS, SHORTNESS OF BREATH, POSSIBLE NARCOSIS AND POSSIBLE CARDIAC ARRHYTHMIAS AT HIGH CONCENTRATIONS. MAY CAUSE FROSTBITE ON DIRECT CONTACT. USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING VAPORS AND INHALING CONTENTS CAN BE HARMFUL OR FATAL.

**Section 12. Ecological Information**

NO DATA AVAILABLE

**Section 13. Handling, Disposal Considerations**

**APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE:**  
CONTACT A LICENSED PROFESSIONAL WASTE DISPOSAL OF THIS MATERIAL. OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.  
**APPROPRIATE METHOD OF DISPOSAL OF CONTAMINATED PACKAGING:**  
CAUTION: NO-RETURN CYLINDER. EMPTY CYLINDER WILL CONTAIN HAZARDOUS RESIDUE. FOLLOW PROPER DISPOSAL REQUIREMENTS.

**Section 14. Transportation Information**

**DOT:**  
PROPER SHIPPING NAME: AEROSOL, NON-FLAMMABLE (EACH NOT EXCEEDING 1.0 LITER CAPACITY)  
UN NUMBER: 1950  
CLASS: 2.2  
PACKING GROUP: /

**IATA:**  
PROPER SHIPPING NAME: AEROSOLS, NON-FLAMMABLE (EACH NOT EXCEEDING 1.0 LITER CAPACITY)  
IATA GN NUMBER: 1950  
HAZARD CLASS: 2.2  
NOT ALLOWED: CARGO AIRCRAFT ONLY. NOT PERMITTED ON PASSENGER AIRCRAFT.

**Section 15. Regulatory Information**

**EU ADDITIONAL CLASSIFICATION:**

SYMBOL OF DANGER: F+  
INDICATION OF DANGER: EXTREMELY FLAMMABLE  
R: 12  
RISK STATEMENTS: EXTREMELY FLAMMABLE  
S: 9 16

SAFETY STATEMENTS: KEEP CONTAINER IN A WELL VENTILATED PLACE. KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.

**US CLASSIFICATION AND LABEL TEXT:**

INDICATION OF DANGER: FLAMMABLE (USA) EXTREMELY FLAMMABLE (EU), IRRITANT.

RISK STATEMENT: IRRITATING TO EYES AND RESPIRATORY SYSTEM.

US STATEMENT: DANGER, FLAMMABLE HIGH-PRESSURE LIQUID AND GAS. UNPLEASANT ODOR.

**Section 16. Other Information**

THIS INFORMATION IS PROVIDED IN GOOD FAITH, BUT NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE. THE MANUFACTURER BELIEVES THAT IT IS ACCURATE AND TO THE BEST OF ITS KNOWLEDGE, AND RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN.

**MSDS CREATION DATE:** 5/2016